



www.solar3s.com





[As a leading Solar New Energy Supplier from China, our prioritized goal is to keep developing and producing high

quality and high efficiency product OEM ODM]

3S - Standard & Service & Solution

About Us

3S Group - Solar3s - Mainland China officed in Shanghai and Shijiazhuang, Sub-branched in Germany and Hungary. With great supplying and sourcing ability in solar energy from China, ranging solar panels, inverters, batteries , solar systems, Co-projects and a full set of solar energy services for both commercial and residential. We are providing professional, reliable and trustful solar products and solar solution. Whether you are new to solar entirely or are looking to develop upon existing setting up or business , welcome to contact us for further service.



Energy Storage Battery

Wind-Solar Hybrid System (New Trends)





On-Grid Inverter GTB Series

(Equipped with mobile phone monitoring, free of MODEM external installation)

Product	Type	Parameter
SMART Micro Inverter GTB-400	GTB-400	DC input: 22-50VDC AC output: 110/230VAC Output power: 400W Size: 20 * 18.5 * 4cm Net weight: 0.9KG Gross weight: 1.45KG Single unit packaging: 24.5 * 20 * 10cm Full box packaging: 51 * 33 * 23cm(14kg) Packaging quantity: 10 units
Micro Inverter GTB-600	GTB-600	DC input: 22-50VDC AC output: 110/230VAC Output power: 600W Size: 29 * 20 * 4cm Net weight: 1.7KG Gross weight: 2.3KG Single unit packaging: 34.5 * 24 * 10cm Full box package: 51*38*22.5cm(14KG) Packaging quantity: 5 units











DC input: 22-50VDC

AC output: 110/230VAC

Output power: 800W

Size: 31 * 20 * 4cm

Net weight: 1.8KG

GTB-800

Gross weight: 2.5KG

Single unit packaging: 34.5 * 24 * 10cm

Full box packaging: 51 * 38 * 22.5cm

(14KG)

Packaging quantity: 5 units

DC input: 22-50VDC

AC output: 110/230VAC

Output power: 1400W

Size: 37 * 30 * 4cm

GTB-1600 | Net weight: 2.8KG

Gross weight: 3.9KG

Single unit packaging: 43 * 37.5 * 11.5cm

Full box packaging: 44*40*27cm 15.8KG

Packaging quantity: 4 units













DC input: 22-50VDC AC output: 110/230VAC **Output power: 1200W** Size: 37 * 30 * 4cm Net weight: 2.75KG GTB-1200 **Gross weight: 3.9KG** Single unit packaging: 43 * 37.5 * 11.5cm Full box packaging: 44 * 40 * 27cm (15.8KG)Packaging quantity: 4 units Micro Inverter DC input: 22-50VDC AC output: 110/230VAC **Output power: 1400W** Size: 37 * 30 * 4cm Net weight: 2.8KG GTB-1400 **Gross weight: 3.9KG** Single unit packaging: 43 * 37.5 * 11.5cm Full box packaging: 44 * 40 * 27cm (15.8KG) Packaging quantity: 4 units











Basic Structure



Mounting Holes




Song Solar/ Renewable Energy Provider for Better Living











Only the solar panel is connected. When the mains AC is not connected, the red light on the inverter surface is on, and the instrument and machine do not work normally.

Normal working conditions of the inverter: the 22-50V

DC voltage of the solar panel must be connected, and the AC voltage must be connected at the same time, and the indicator light is green.




























www.solar3s.com





Application Scenario



Wide Usage

It is suitable for various household appliances. It can convert the DC power generated by solar panels into AC power available for household appliances.



Address:

34th Floor, Evergrande Center, No. 77 Zhongshan West Road, Shijiazhuang China

0086-31168072747 <u>info@solar3s.com</u>

Building 5, No 59 Xibei, Luxiang, Jinshan, Shanghai, China

0086-13780077983 <u>info@lin-joy.com</u> Kritenbarg 17, 22319 Hamburg Germany

0049-17623329290 lijuncao@sysplendor.com

Budapest district 22 Hungary

36706661440 <u>tibor@3shungary.com</u>